

Ambu

aScope™ 4 Cysto



KEY BENEFITS

- Instant availability
- No risk of cross-contamination
- Cost effective
- High degree of usability
- Clear, sharp images
- Smooth and easy navigation

BOSMA

Enterprises®

FLEXIBLE CYSTOSCOPE - SINGLE-USE

Ambu® aScope™ 4 Cysto

MAXIMIZE PHYSICIAN EFFICIENCY

Scheduling and workflow flexibility to increase daily patient procedures - including last-minute add-ons

MAXIMIZE STAFF PRODUCTIVITY

Reallocate staff resources from time-consuming reprocessing to patient-focused care

BUDGET OPTIMIZATION

No repairs or reprocessing costs, and limited capital expenditures while increasing procedural capacity

SIMPLIFIED COMPLIANCE

Sterile, patient-ready cystoscope without the complexities of reprocessing and monitoring

PATIENT EXPERIENCE

Expand procedure locations to additional rooms or satellite clinics, and enable image/video review with patients

SPECIFICATIONS



Optical system	
Field of view	120°
Depth of field	3 - 100 mm
Illumination method	LED
Insertion portion	
Bending angle*	210° up, 120° down
Insertion cord diameter	16.2 Fr / 5.4 mm (0.21")
Distal end diameter	16.2 Fr / 5.4 mm (0.21")
Maximum diameter of insertion portion	18 Fr / 6.0 mm (0.24")
Working length	390 mm (15.4")
Working channel	
Minimum instrument channel width**	6.6 Fr / 2.2 mm (0.086")
Operating environment, storage & transportation	
Temperature - transportation	10 - 40 °C (50 to 104 °F)
Temperature - operating environment	10 - 40 °C (50 to 104 °F)
Temperature - storage***	10 - 25 °C (50 to 77 °F)
Relative humidity	30 - 85%
Atmospheric pressure	80 - 109 kPa
Sterilization	
Method of sterilization	ETO
Material	
DEHP phthalates	Does not contain any DEHP phthalates
No allergenic substances	Not made with natural rubber latex
Dimensions	
Weight	158 g

ORDER SPECIFICATIONS


Dimensions	Item no.	Quantity
Ambu® aScope™ 4 Cysto, Standard Deflection	10-601177-1	5 pcs
Ambu® aScope™ 4 Cysto, Standard Deflection	10-601177-4	20 pcs
Ambu® aScope™ 4 Cysto, Reverse Deflection	10-600177-1	5 pcs
Ambu® aScope™ 4 Cysto, Reverse Deflection	10-600177-4	20 pcs



High bending angles of 210°/120°



For more information, please visit ambuUSA.com/endoscopy/pulmonology



There is no guarantee that accessories selected solely using this minimum instrument channel width will be compatible in combination.

Order Information

Department of Veterans Affairs

Place your order through your Prime Vendor or with DiSorb at 215.207.9010x211 or orders@disorb.com.



Department of Defense or other government agencies

Place your order through your Prime Vendor or with ASEDirect at 615-627-4294 or hachurch@asedirect.com.



* Please be aware that the bending angle can be affected if the insertion cord is not kept straight or have inserted endoscopic accessories.
 ** There is no guarantee that endoscopic accessories selected solely using this minimum working channel width will be compatible in combination.
 *** Storage under higher temperatures may impact shelf life.
 **** Not available in all countries.